

**Olympic Mushrooms**  
**11/23/2020**  
**Susan McDougall**

161 species

| Family       | Scientific Name                    | Common Name                |
|--------------|------------------------------------|----------------------------|
| Agaricaceae  | <i>Agaricus augustus</i>           | Giant agaricus             |
| Agaricaceae  | <i>Agaricus silvicola</i>          | Forest Agaric              |
| Agaricaceae  | <i>Chlorophyllum olivieri</i>      | Yellow-edged Mycena        |
| Agaricaceae  | <i>Coprinus comatus</i>            | Shaggy inkcap              |
| Agaricaceae  | <i>Cyathus striatus</i>            | Fluted bird's nest         |
| Agaricaceae  | <i>Cystoderma amianthinum</i>      | Pure Cystoderma            |
| Agaricaceae  | <i>Cystoderma cf. gruberinum</i>   |                            |
| Agaricaceae  | <i>Gymnopus acervatus</i>          | Clustered Collybia         |
| Agaricaceae  | <i>Gymnopus dryophilus</i>         | Common Collybia            |
| Agaricaceae  | <i>Gymnopus peronatus</i>          | Wood woolly-foot           |
| Agaricaceae  | <i>Lepiota clypeolaria</i>         | Shield dapperling          |
| Agaricaceae  | <i>Lepiota magnispora</i>          | Yellowfoot dapperling      |
| Agaricaceae  | <i>Lepiota sp.</i>                 |                            |
| Agaricaceae  | <i>Leucoagaricus leucothites</i>   | White dapperling           |
| Agaricaceae  | <i>Leucoagaricus rubrotinctus</i>  | Red-eyed parasol           |
| Agaricaceae  | <i>Morganella pyriformis</i>       | Warted puffball            |
| Agaricaceae  | <i>Nidula candida</i>              | Jellied bird's-nest fungus |
| Amanitaceae  | <i>Amanita augusta</i>             | Yellow-veiled amanita      |
| Amanitaceae  | <i>Amanita muscaria</i>            | Fly agaric                 |
| Amanitaceae  | <i>Amanita pantheriana</i>         | Panther cap                |
| Amanitaceae  | <i>Amanita spp.</i>                |                            |
| Amanitaceae  | <i>Amanita vaginata</i>            | Grisette                   |
| Bankeraceae  | <i>Hydnellum aurantiacum</i>       | Orange spine               |
| Bankeraceae  | <i>Hydnellum complicatum</i>       |                            |
| Bankeraceae  | <i>Hydnellum suaveolens</i>        | Fragrant hydnellum         |
| Bolbitiaceae | <i>Bolbitius titubans</i>          | Yellow fieldcap mushroom   |
| Boletaceae   | <i>Boletus edulis</i>              | King bolete                |
| Boletaceae   | <i>Boletus mirabilis</i>           | Admirable bolete           |
| Boletaceae   | <i>Boletus zelleri</i>             |                            |
| Boletaceae   | <i>Chalciporus piperatus</i>       | Peppery bolete             |
| Boletaceae   | <i>Leccinum scabrum</i>            | Brown birch-bolete         |
| Boletaceae   | <i>Suillus ponderosus</i>          | Heavy bolete               |
| Boletaceae   | <i>Tylopilus pseudoscaber</i>      | Dusky bolete               |
| Boletaceae   | <i>Xerocomellus autropurpureus</i> |                            |
| Boletaceae   | <i>Xerocomellus chrysenteron</i>   | Red cracking bolete        |

|                 |  |                            |
|-----------------|--|----------------------------|
| Cantharellaceae | <i>Cantharellus formosus</i>                     | Golden chanterelle         |
| hericum         | <i>Chanterelle spp. (1)</i>                      |                            |
| Cantharellaceae | <i>Craterellus tubaeformis</i>                   | Winter chanterelle         |
| Clavariaceae    | <i>Clavaria acuta</i>                            | Pointed club               |
| Clavariaceae    | <i>Clavaria vermicularis</i>                     |                            |
| Clavariaceae    | <i>Clavulinopsis laeticolor</i>                  | Handsome club fungus       |
| Clavulinaceae   | <i>Clavulina rugosa</i>                          | Wrinkled coral fungus      |
| Cortinariaceae  | <i>Cortinarius alboviolaceus</i>                 | Silvery-violet Cortinarius |
| Cortinariaceae  | <i>Cortinarius brunneus</i>                      |                            |
| Cortinariaceae  | <i>Cortinarius californicus</i>                  |                            |
| Cortinariaceae  | <i>Cortinarius caperatus</i>                     | Gypsy mushroom             |
| Cortinariaceae  | <i>Cortinarius cf. siedliae</i>                  | Cortinarius                |
| Cortinariaceae  | <i>Cortinarius cf. substriatus</i>               | Cortinarius                |
| Cortinariaceae  | <i>Cortinarius cf. uliginosus</i>                | Cortinarius                |
| Cortinariaceae  | <i>Cortinarius livido-ochraceus</i>              |                            |
| Cortinariaceae  | <i>Cortinarius montanus</i>                      |                            |
| Cortinariaceae  | <i>Cortinarius multiformis</i>                   |                            |
| Cortinariaceae  | <i>Cortinarius sp.</i>                           |                            |
| Cortinariaceae  | <i>Cortinarius traganus</i>                      | Gassy webcap               |
| Cortinariaceae  | <i>Phaeocollybia spadicea</i>                    |                            |
| Cyphellaceae    | <i>Cheimonophyllum candidissimum</i>             | White oysterette           |
| Dacrymycetaceae | <i>Dacrymyces chrysospermus</i>                  |                            |
| Entolomataceae  | <i>Leptonia fuligineomarginata</i>               |                            |
| Entolomataceae  | <i>Leptonia serrulata</i>                        | Blue-toothed leptonia      |
| Exidiaceae      | <i>Pseudohydnum gelatinosum</i>                  | Toothed jelly fungus       |
| Fomitopsidaceae | <i>Calcipostia guttulata</i>                     |                            |
| Fomitopsidaceae | <i>Fomitopsis ochracea</i>                       |                            |
| Fomitopsidaceae | <i>Laetiporus conifericola</i>                   | Sulphur shelf              |
| Fomitopsidaceae | <i>Postia ptychogaster</i>                       | Powderpuff bracket         |
| Fomitopsidaceae | <i>Pycnoporellus fulgens</i>                     |                            |
| Ganodermataceae | <i>Ganoderma oregonense</i>                      | Western varnished conk     |
| Gloeophyllaceae | <i>Gloeophyllum sepiarium</i>                    | Conifer mazegill           |
| Gomphaceae      | <i>Gomphus clavatus</i>                          | Pig's-ear                  |
| Gomphaceae      | <i>Gomphus floccosus</i>                         | Woolly chanterelle         |
| Gomphaceae      | <i>Ramaria abietina</i>                          | Green staining coral       |
| Gomphaceae      | <i>Ramaria araiospora</i> var. <i>araiospora</i> | Red coral                  |
| Gomphaceae      | <i>Ramaria cyanegrana var. elongata</i>          | Pink pencils               |
| Gomphaceae      | <i>Ramaria formosa</i>                           | Yellow-tipped coral        |
| Gomphaceae      | <i>Ramaria marpii</i>                            |                            |
| Gomphaceae      | <i>Ramaria sandaricina</i> var. <i>emuosa</i>    | Sweet orange clump         |
| Gomphidiaceae   | <i>Gomphidius glutinosus</i>                     | Slimy gomphidius           |
| Gomphidiaceae   | <i>Gomphidius oregonensis</i>                    | Insidious gomphidius       |

|                     |   |                           |
|---------------------|---|---------------------------|
| Gomphidiaceae       | <i>Gomphidius subroseus</i>             | Rosy gomphidius           |
| Helotiaceae         | <i>Ascocoryne sarcoides</i>             | Purple jelly drops        |
| Helvellaceae        | <i>Helvella elastica</i>                | Elastic saddle fungus     |
| Helvellaceae        | <i>Helvella lacunosa</i>                | Fluted back elfin saddle  |
| Hericiaceae         | <i>Hericium abietis</i>                 | Bear's-head               |
| Hydnangiaceae       | <i>Laccaria amethysteo-occidentalis</i> | Western amethyst laccaria |
| Hydnangiaceae       | <i>Laccaria laccata</i>                 | Waxy laccaria             |
| Hydnangiaceae       | <i>Laccaria sp.</i>                     |                           |
| Hydnangiaceae       | <i>Laccaria tortilis</i>                | Twisted deceiver          |
| Hygrophoraceae      | <i>Hygrophorus reai</i>                 |                           |
| Hygrophoropsidaceae | <i>Hygrophoropsis pallida</i>           |                           |
| Hymenochaetaceae    | <i>Coltricia spp.</i>                   | coltricia                 |
| Hymenochaetaceae    | <i>Onnia tomentosa</i>                  | Woolly velvet polypore    |
| Hypocreaceae        | <i>Hypomyces lactifluorum</i>           |                           |
| Inocybaceae         | <i>Inocybe rimosa</i>                   | Straw-colored fibre-head  |
| Inocybaceae         | <i>Tubaria furfuracea</i>               | Fringed tubaria           |
| Lentariaceae        | <i>Lentaria pinicola</i>                |                           |
| Marasmiaceae        | <i>Marasmiellus candidus</i>            | White marasmellus         |
| Marasmiaceae        | <i>Marasmius plicatulus</i>             | Velvet-cap Marasmius      |
| Marasmiaceae        | <i>Pleurocybella porrigens</i>          | Angel-wing                |
| Mycenaceae          | <i>Hemimycena delectabilis</i>          |                           |
| Mycenaceae          | <i>Mycena adonis</i>                    |                           |
| Mycenaceae          | <i>Mycena aurantiidisca</i>             |                           |
| Mycenaceae          | <i>Mycena citrinomarginata</i>          | Yellow-edged Mycena       |
| Mycenaceae          | <i>Mycena galericulata</i>              | Common bonnet             |
| Mycenaceae          | <i>Mycena stylobates</i>                | Bulbous bonnet            |
| Mycenaceae          | <i>Panellus longinquus</i>              |                           |
| Mycenaceae          | <i>Panellus mitis</i>                   | Elastic oysterling        |
| Mycenaceae          | <i>Xeromphalina campanella</i>          | Orange fuzzy-foot         |
| Paxillaceae         | <i>Paxillus involutus</i>               | Brown roll-rim            |
| Physalacriaceae     | <i>Armillaria sinapina</i>              | Honey mushroom            |
| Physalacriaceae     | <i>Armillaria solidipes</i>             | Dark honey fungus         |
| Physalacriaceae     | <i>Strobilurus trullisatus</i>          | Douglas-fir cone mushroom |
| Pluteaceae          | <i>Pluteus cervinus</i>                 | Deer mushroom             |
| Polyporaceae        | <i>Cryptoporus volvatus</i>             | Cryptic globe fungus      |
| Polyporaceae        | <i>Neolentinus adhaerens</i>            |                           |
| Polyporaceae        | <i>Polyporus badius</i>                 | Blackleg                  |
| Polyporaceae        | <i>Trichaptum abietinum</i>             | Purplepore bracket        |
| Polyporaceae        | <i>Coprinopsis legopus</i>              | Harefoot mushroom         |
| Psathyrellaceae     | <i>Coprinellus micaceus</i>             | Mica cap                  |
| Pyronemataceae      | <i>Otidea onotica</i>                   | Donkey-ears               |
| Russulaceae         | <i>Lactarius deliciosus</i>             | Delicious milk-cap        |
| Russulaceae         | <i>Lactarius olympianus</i>             |                           |

|                  |                                  |                                  |
|------------------|----------------------------------|----------------------------------|
| Russulaceae      | <i>Lactarius resimus</i>         | Yellow staining bearded milk-cap |
| Russulaceae      | <i>Lactarius scrobiculatus</i>   | Pitted milk-cap                  |
| Russulaceae      | <i>Lactarius substriatus</i>     |                                  |
| Russulaceae      | <i>Russula aeruginea</i>         | Grass-green russula              |
| Russulaceae      | <i>Russula americana</i>         | American russula                 |
| Russulaceae      | <i>Russula cascadensis</i>       | Cascade russula                  |
| Russulaceae      | <i>Russula crenulata</i>         |                                  |
| Russulaceae      | <i>Russula brevipes</i>          | Short-stemmed russula            |
| Russulaceae      | <i>Russula elaeoides</i>         | Crab brittlegill                 |
| Russulaceae      | <i>Russula emetica</i>           | The sickener                     |
| Russulaceae      | <i>Russula foetens</i>           | Stinking brittlegill             |
| Russulaceae      | <i>Russula fragilis</i>          | Fragile brittlegill              |
| Russulaceae      | <i>Russula rosacea</i>           | Rosy brittlegill                 |
| Russulaceae      | <i>Russula sp.</i>               |                                  |
| Sarcoscyphaceae  | <i>Pithya vulgaris</i>           |                                  |
| Stereaceae       | <i>Stereum hirsutum</i>          | Hairy curtain crust              |
| Strophariaceae   | <i>Galerina marginata</i>        | Funeral bell                     |
| Strophariaceae   | <i>Stropharia ambigua</i>        | Questionable Stropharia          |
| Strophariaceae   | <i>Stropharia albivelata</i>     |                                  |
| Strophariaceae   | <i>Stropharia hornemannii</i>    | Luxuriant ringstalk              |
| Strophariaceae   | <i>Hypholoma udum</i>            |                                  |
| Strophariaceae   | <i>Hypholoma fasciculare</i>     | Sulfur tuft                      |
| Strophariaceae   | <i>Hypholoma capnoides</i>       | Conifer tuft                     |
| Strophariaceae   | <i>Pholiota cf decorata</i>      |                                  |
| Strophariaceae   | <i>Pholiota flammans</i>         | Yellow pholiota                  |
| Strophariaceae   | <i>Pholiota malicola</i>         |                                  |
| Strophariaceae   | <i>Pholiota mutabilis</i>        |                                  |
| Strophariaceae   | <i>Stropharia sp.</i>            |                                  |
| Suillaceae       | <i>Suillus ponderosus</i>        | Heavy bolete                     |
| Tricholomataceae | <i>Ampulloclitocybe clavipes</i> | Club-footed clitocybe            |
| Tricholomataceae | <i>Clitocybe nebularis</i>       | Cloudy clitocybe                 |
| Tricholomataceae | <i>Clitocybe rivulosa</i>        | Sweat-producing clitocybe        |
| Tricholomataceae | <i>Lepista flaccida</i>          | Tawny funnel                     |
| Tricholomataceae | <i>Lepista nuda</i>              | Blewit                           |
| Tricholomataceae | <i>Tricholoma portentosum</i>    | Sticky gray Trich                |
| Tricholomataceae | <i>Tricholoma saponaceum</i>     | Soapy tricholoma                 |
| Tricholomataceae | <i>Tricholoma sejunctum</i>      | Deceiving knight                 |
| Tricholomataceae | <i>Tricholoma terreum</i>        |                                  |
| Tricholomataceae | <i>Tricholoma sp.</i>            |                                  |
| Tricholomataceae | <i>Tricholomopsis flavissima</i> |                                  |
| Tricholomataceae | <i>Tricholomopsis rutilans</i>   | Red-tufted wood tricholoma       |